


DYNAMIC LIGHT


Edition: July 2025











Experience your **Future** with *DYNAMIC LIGHT*

DYNAMIC LIGHT

About Us

Experience Your Future with Dynamic Light.
Where Ideas Shine. Spaces Glow. Futures Brighten.

At **Dynamic Lights**, we don't just install lights—we craft experiences.
Whether it's a modern home, a buzzing food court,
a stylish cinema hall, or a cutting-edge commercial space,
our LED solutions bring spaces to life.

From concept to completion, we offer:

- ***On-site visits***
- ***Expert guidance***
- ***Tailored lighting solutions***

Powered by trust, built through word of mouth,
and designed to impress.

We are your lighting partner—working hand-in-hand with architects,
designers, and businesses to create brilliance beyond bulbs.

Let's light up your vision, together.
Because with **Dynamic Light**,
the future doesn't just look bright—it glows.

INDEX

NEW ARRIVAL

SMUGE SERIES 01
BESPOKE SERIES 03
AMBER SERIES 12
CLAY AND WASHER 17

INDOOR LIGHTS

ARCHITECTURAL COBS 21
SURFACE CYLENDER, WALL WASHERS, TRACKS 46
DIFFUSED LIGHTS 57
LASER BLADES 60
MODULAR SERIES 68
RETROFITS 70
STRIPS, SMPS, REMOTE 71

OUTDOOR LIGHTS


PREMIUM SERIES 76
ECONOMIC SERIES 91

SMUGE SERIES









SMUGE


	5W	9W	10W
Dimensions	60 X 46 X 150mm	60 X 100 X 120mm	60 X 78 X 165mm
Cutout	140 X 35 mm	110 X 90 mm	155 X 65 mm
Body Color	SAND WH | BK	SAND WH | BK	SAND WH | BK
CCT	3K 4K	3K 4K	3K 4K
Beam Angle	36°	36°	36°
CRI	80+	80+	80+




SMUGE-SF

	5W	9W	10W
Dimensions	70 X 37 X 143mm	70 X 88 X 107mm	70 X 67 X 155mm
Body Color	SAND WH | BK	SAND WH | BK	SAND WH | BK
CCT	3K 4K	3K 4K	3K 4K
Beam Angle	36°	36°	36°
CRI	80+	80+	80+

BESPOKE SERIES









BESPOKE LINEAR 20MM

	15W	30W
	300 X 22 X 25mm	600 X 22 X 25mm
	BLACK	BLACK
	3K 4K 6K CCT	3K 4K 6K CCT
	120°	120°
CRI	80+	80+



BESPOKE LASER 20MM

	6W	12W
	112 X 22 X 25mm	220 X 22 X 25mm
	BLACK	BLACK
	3K 4K 6K CCT	3K 4K 6K CCT
	36°	36°
CRI	80+	80+




BESPOKE LASER-M 20MM

	6W	12W
	230 X 22 X 100mm	230 X 22 X 100mm
	BLACK	BLACK
	3K 4K 6K CCT	3K 4K 6K CCT
	36°	36°
CRI	80+	80+




BESPOKE TRACK SPOT 20MM

	7W	10W	15W
	35 X 80mm	45 X 100mm	45 X 155mm
	BLACK	BLACK	BLACK
	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
	36°	36°	36°
	80+	80+	80+



GLOBE 20MM




	7W
	Ø 100mm
	BLACK
	3K 4K 6K
	120°
	80+




LASSO 20MM

	16W
	1 METER
	3K 4K 6K
	120°
	80+

ACCESSORIES FOR BESPOKE 20MM

PHOTO	NAME
NEW 	RECESSED TRACK
NEW 	SURFACE TRACK
NEW 	END CAP
NEW 	STRIGHT JOINTER
	2 WAY JOINTER
	POWER SUPPLY CODE
NEW 	L JOINTER
NEW 	IP 65 POWER SUPPLY 100W
	IP 65 POWER SUPPLY 200W
NEW 	300MM CURVED JOINTER
NEW 	SMPS 48V IP20-100W
	SMPS 48V IP20-200W




BESPOKE LINEAR 10MM

	10W	20W
	300 X 22 X 25mm	600 X 22 X 25mm
	BLACK	BLACK
	3K 4K 6K	3K 4K 6K CCT
	120°	120°
	80+	80+



BESPOKE LASER 10MM

	6W	12W
	112 X 22 X 25mm	220 X 22 X 25mm
	BLACK	BLACK
	3K 4K 6K	3K 4K 6K
	36°	36°
	80+	80+




BESPOKE LASER-M 10MM

	6W	12W
	112 X 22 X 25mm	230 X 22 X 100mm
	BLACK	BLACK
	3K 4K 6K	3K 4K 6K
	36°	36°
	80+	80+



BESPOKE TRACK SPOT 10MM




	10W
	45 X 115mm
	BLACK
	3K 4K 6K
	36°
	80+




GLOBE 10MM

	7W
	Ø 100mm
	BLACK
	3K 4K 6K
	120°
	80+

ACCESSORIES FOR BESPOKE 10MM


PHOTO	NAME
NEW 	RECESSED TRACK 1 METER, 2 METER, 3 METER
NEW 	SURFACE TRACK 1 METER, 2 METER, 3 METER
NEW 	END CAP
NEW 	STRIGHT JOINTER
	2 WAY JOINTER
	POWER SUPPLY CODE
NEW 	L JOINTER
NEW 	IP 65 POWER SUPPLY 100W IP 65 POWER SUPPLY 200W
NEW 	SMPS 48V IP20-100W SMPS 48V IP20-200W

Dimensions Cutout Body Color CRI CCT IP Rating Beam Angle




BESPOKE LINEAR CIRCULAR 20MM

	10W
Dimensions	300 X 22 X 25mm
Body Color	BLACK
CCT	3K 4K 6K
Beam Angle	120°
CRI	80+



BESPOKE LASER CIRCULAR 20MM

	6W
Dimensions	112 X 22 X 25mm
Body Color	BLACK
CCT	3K 4K 6K
Beam Angle	36°
CRI	80+



BESPOKE CIRCULAR TRACK SPOT 20MM

	10W
Dimensions	45 X 100mm
Body Color	BLACK
CCT	3K 4K 6K
Beam Angle	36°
CRI	80+




BESPOKE CIRCULAR ALUMINIUM TUBE

600MM | 900MM | 1200MM

PHOTO	NAME
NEW 	CIRCULAR 2 WAY JOINTER
NEW 	CIRCULAR POWER SUPPLY CORD


AMBER SERIES






AMBER LINEAR GRILLE

	10W
Dimensions	196 X 36 X 102mm
Body Color	BRUSH GOLD
CCT	3K
Beam Angle	36°
CRI	80+



AMBER LINEAR FLOOD

	10W
Dimensions	196 X 36 X 102mm
Body Color	BRUSH GOLD
CCT	3K
Beam Angle	36°
CRI	80+




AMBER SPOT

	7W
Dimensions	36 X 84.5 mm
Body Color	BRUSH GOLD
CCT	3K
Beam Angle	36°
CRI	80+




AMBER DIFUSSED MOVABLE SPOT

	10W
	80 X 30 mm (360° Rotaion)
	BRUSH GOLD
	3K
	36°
CRI	80+




AMBER MOVABLE TRACK SPOT

	12W
	45 X 100mm (360° Rotation)
	BRUSH GOLD
	3K
	36°
CRI	80+



AMBER CLEAR GLASS BALL LAMP



	7W
	150 X 130mm
	BRUSH GOLD
	3K
	36°
CRI	80+



AMBER MILKY GLASS BALL LAMP

	7W
	150 X 130mm
	BRUSH GOLD
	3K
	36°
	80+

ACCESSORIES FOR AMBER SERIES


PHOTO	NAME
NEW 	1.5 METER TRACK
NEW 	SUSPENSION ROUND KIT 800MM
	SUSPENSION ROUND KIT 1000MM
NEW 	ALU TUBE 50MM
	ALU TUBE 300MM
	ALU TUBE 600MM
NEW 	CONNECTOR SINGLE
	CONNECTOR DOUBLE WITH ELEC.
	CONNECTOR DOUBLE WITHOUT ELEC.
NEW 	1000MM CABLE KIT
NEW 	CEILING CAP
NEW 	DRIVER BOX+1M CABLE+SINGLE CONNECTOR (WITH ELECTRICITY)
	1M CABLE+SINGLE CONNECTOR (WITHOUT ELECTRICITY)
NEW 	SMPS 48V IP20-100W
	SMPS 48V IP20-150W
	SMPS 48V IP20-200W

CLAY AND WASHER SERIES








CLAY SERIES





0612 SIDE LIT | 0808 3 SIDE LIT | 1010 SIDE LIT | 1212 3 SIDE LIT | 1212 SIDE LIT | 1313 3 SIDE LIT | 1513 3 SIDE LIT | 1616 SIDE LIT | 1616 3 SIDE LIT | 2014 3 SIDE LIT | 3020 3 SIDE LIT | 2121 CORNER

	0612	0808	1010	1212	1212	1313	1513	1616	1616	2014	3020	2121
Dimensions	6 X 12mm	8 X 8mm	12 X 12mm	12 X 12mm	12 X 12mm	13 X 13mm	15 X 13mm	16 X 16mm	16 X 16mm	20 X 14mm	30 X 20mm	18 X 18mm
	PCB 5mm	PCB 5mm	PCB 6mm	PCB 6mm	PCB 5-6mm	PCB 8mm	PCB 10mm	PCB 8mm	PCB 8mm	PCB 10-12mm	PCB 16mm	PCB 10mm
Cutout	—	—	10mm	—	—	—	—	16mm	—	—	—	—
CRI	80+	80+	80+	80+	80+	80+	80+	80+	80+	80+	80+	80+


SNAKE MESH	END CAPS	CLIPS
NEW 	NEW 	NEW 

Dimensions | Cutout | Body Color | CRI | CCT | IP Rating | Beam Angle


WASHER



	18W-24V-IP 65	20W-24V-IP 67 BOTH SIDE BEND
	36 X 21 X 37mm/ Per 5 mtr	18 X 16mm/ Per 5 mtr
	SILICON	SILICON
	2700K / 3000K	2700K / 3000K
	24°	24°
	90+	90+
	IP 65	IP 67






PHOTO	NAME
NEW 	**1616 SNAKE MESH**

CLAY 220v IP65





	12W
	10 x 6mm
	SILICON
	2700K / 3000K
	00°
	90+
	IP 65

ACCESSORIES FOR CLAY 220v IP65

PHOTO	NAME
NEW 	DIRECT CONNECTOR
NEW 	HEAD CAP
NEW 	END CAP
NEW 	MIDDLE CONNECTOR
NEW 	L CONNECTOR


ARCHITECTURAL COBS






BITSY

	3W
Dimensions	37 X 28mm
Cutout	30mm
Body Color	WH | BK
CCT	3K 4K 6K
Beam Angle	24°
CRI	80+




SHARP

	3W
Dimensions	38 X 43.5mm
Cutout	30mm
Body Color	WH | BK
CCT	3K 4K 6K
Beam Angle	24°
CRI	80+




TINY

	3W
Dimensions	30 X 24mm
Cutout	25mm
Body Color	WH | BK
CCT	3K 4K 6K
Beam Angle	24°
CRI	80+



TWINKLE

	1W-01	1W-02
Dimensions	20 x 25mm	20 x 30mm
Cutout	15 mm	15 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K DC 12V	3K 4K 6K DC 12V
Beam Angle	36°	36°
CRI	80+	80+
IP Rating	IP 65	IP 65




COGENT

	5W	5W-SQUARE
Dimensions	50 X 45mm	50 X 50 X 45mm
Cutout	45mm	45mm
Body Color	WH	WH
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	24°	24°
CRI	80+	80+




SIPHON

	7W	12W	18W
Dimensions	62 X 58mm	82 X 82mm	100 X 100mm
Cutout	55mm	75mm	95mm
Body Color	WH | BK | BC | RG	WH | BK | BC | RG	WH | BK | BC | RG
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	24°, 36°	24°, 36°	36°
CRI	80+	80+	80+




TERRA

	7W	12W	20W
	17.5 X 70mm	19.5 X 80mm	26 X 95mm
	45mm	55mm	75mm
	WH | BK	WH | BK	WH | BK
	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
	15°, 24°, 36°, 50°	15°, 24°, 36°, 50°	15°, 24°, 36°, 50°
	80+	80+	80+



ASTEROID

	7W	10W	18W
	30 X 81mm	35 X 91mm	62 X 100mm
	25mm	31mm	58mm
	WH | BK	WH | BK	WH | BK
	3K 4K	3K 4K	3K 4K 6K CCT
	20°, 36°, 50°	20°, 36°, 50°	24°, 36°
	90+	90+	80+




ASTEROID-TRIMLESS

	7W	10W	18W
	25.7 X 81mm	30X 91mm	54.7 X 90mm
	40mm	45mm	60mm
	WH | BK	WH | BK	WH | BK
	3K 4K	3K 4K	3K 4K 6K CCT
	20°, 36°, 50°	20°, 36°, 50°	24°, 36°
	90+	90+	80+


Dimensions Cutout Body Color CRI CCT IP Rating Beam Angle

ASTEROID-SQUARE




	7W	10W	18W
	37 X 37 X 81mm	45 X 45 X 100mm	79 X 79 X 100mm
	25mm	31mm	58mm
	WH | BK	WH | BK	WH | BK
	3K 4K	3K 4K	3K 4K 6K CCT
	20°, 36°, 50°	20°, 36°, 50°	24°, 36°
	90+	90+	80+

ASTEROID DOUBLE




	14W (7W X 2)	20W (10W X 2)	36W (18W X 2)
	71 X 37 X 81mm	85 X 45 X 91mm	157 X 79 X 100mm
	25mm	31mm	58mm
	WH | BK	WH | BK	WH | BK
	3K 4K	3K 4K	3K 4K 6K CCT
	20°, 36°, 50°	20°, 36°, 50°	24°, 36°
	90+	90+	80+

ASTEROID TRIPPLE




	21W (7W X 3)	30W (10W X 3)
	105 X 37 X 81 mm	130 X 45 X 100 mm
	73 mm	95 mm
	WH | BK	WH | BK
	3K 4K	3K 4K
	20°, 36°, 50°	20°, 36°, 50°
	90+	80+

Dimensions Cutout Body Color CRI CCT IP Rating Beam Angle




PENCIL

	7W	12W	18W
Dimensions	42 X 100mm	52 X 100mm	62 X 100mm
Cutout	35mm	45mm	55mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K	3K 4K	3K 4K
Beam Angle	24°, 36°, 50°	24°, 36°, 50°	24°, 36°, 50°
CRI	80+	80+	80+




CORE

	8W	10-12W
Dimensions	52 X 82mm	52 x 106mm
Cutout	45mm	45mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	8°, 15°, 24°, 38°, 50°	8°, 15°, 24°, 38°, 50°
CRI	80+	80+




CORE

	15W	18-20W
Dimensions	72 x 86mm	72 x 110mm
Cutout	65mm	65mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	8°, 15°, 24°, 38°, 50°	8°, 15°, 24°, 38°, 50°
CRI	80+	80+




CORE-T

	8W	10-12W
Dimensions	52 X 82mm	52 x 106mm
Cutout	45mm	45mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	8°, 15°, 24°, 38°, 50°	8°, 15°, 24°, 38°, 50°
CRI	80+	80+




CORE-T

	15W	18-20W
Dimensions	72 x 86mm	72 x 110mm
Cutout	65mm	65mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	8°, 15°, 24°, 38°, 50°	8°, 15°, 24°, 38°, 50°
CRI	80+	80+




ELLIPSE

	7W	12W
Dimensions	60 x 57mm	81 x 62mm
Cutout	57mm	76mm
Body Color	WH | BK | BS	WH | BK | BS
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	15°, 36°, 50°	15°, 36°, 50°
CRI	80+	80+




CLOVE

	7W - 12W	15W - 17W	20W - 25W
Dimensions	52 X 95mm	62 X 95mm	82 X 118mm
Cutout	45mm	55mm	75mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°, 50°	15°, 24°, 36°, 50°	15°, 24°, 36°, 50°
CRI	80+	80+	80+




CLOVE-T

	7W - 12W	15W - 17W	20W - 25W
Dimensions	52 X 95mm	62 X 95mm	82 X 118mm
Cutout	45mm	55mm	75mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°, 50°	15°, 24°, 36°, 50°	15°, 24°, 36°, 50°
CRI	80+	80+	80+



AXIAL

	3W
Dimensions	48 X 36mm
Cutout	40mm
Body Color	WH | BK
CCT	3K 4K 6K CCT
Beam Angle	15-50° ZOOMABLE
CRI	80+




ASTERAL

	3W	7W
Dimensions	41 X 25.5mm	62 X 31.5mm
Cutout	35mm	55mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°, 50°	15°, 24°, 36°, 50°
CRI	80+	80+




FLARE

	7W	12W	18 - 25W
Dimensions	65 X 78mm	82 X 96mm	105 X 110mm
Cutout	55mm	75mm	95mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°, 55°	15°, 24°, 36°, 55°	15°, 24°, 36°, 55°
CRI	80+	80+	80+




FLARE-TRIMLESS

	7W	12W	18 - 25W
Dimensions	65 X 78mm	82 X 96mm	105 X 110mm
Cutout	55mm	75mm	95mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°, 55°	15°, 24°, 36°, 55°	15°, 24°, 36°, 55°
CRI	80+	80+	80+




FLARE-SQUARE

	7W	12W	18 - 25W
Dimensions	65 X 65 X 78mm	82 X 82 X 96mm	105 X 105 X 110mm
Cutout	55 X 55mm	75 X 75mm	95 X 95mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°, 55°	15°, 24°, 36°, 55°	15°, 24°, 36°, 55°
CRI	80+	80+	80+




FLARE-SQUARE TRIMLESS

	12W
Dimensions	82 X 82 X 96mm
Cutout	75 X 75mm
Body Color	WH | BK
CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°, 55°
CRI	80+




FLARE DOUBLE

	14W (7W X 2)	24W (12W X 2)	36 - 50W (18W X 2)
Dimensions	115 X 65 X 85mm	155 X 85 X 106mm	195 X 105 X 124mm
Cutout	105 X 58mm	145 X 78mm	185 X 98mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°, 55°	15°, 24°, 36°, 55°	15°, 24°, 36°, 55°
CRI	80+	80+	80+



FLARE DOUBLE TRIMLESS

	24W (12W X 2)
Dimensions	155 X 85 X 106mm
Cutout	145 X 78mm
Body Color	WH | BK
CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°, 55°
CRI	80+




DUPPLE-02

	7W	12W	18W
Dimensions	69 X 70mm	83 X 80mm	112 X 90mm
Cutout	65mm	75mm	105mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	24°, 36°, 60°	24°, 36°, 60°	24°, 36°, 60°
CRI	80+	80+	80+




DUPPLE-03

	7W	12W	18W
Dimensions	62 X 59mm	85 X 64mm	105 X 72mm
Cutout	55mm	75mm	95mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	36°	36°, 50°	36°, 50°
CRI	80+	80+	80+




DUPPLE 03 WALL WASHER

	12W
Dimensions	85 X 74mm
Cutout	75mm
Body Color	WH | BK
CCT	3K 4K 6K CCT
Beam Angle	40°
CRI	80+




ROBUST

	7W	12W	18W
Dimensions	57 x 47mm	67 X 60mm	83 x 70mm
Cutout	50 mm	60 mm	75 mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°	15°, 24°, 36°	15°, 24°, 36°
CRI	80+	80+	80+
IP Rating	IP 54	IP 54	IP 54




ROBUST

	20-24W	30-36W
Dimensions	100 X 85 mm	130 X 100 mm
Cutout	90 mm	120 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°	15°, 24°, 36°
CRI	80+	80+
IP Rating	IP 54	IP 54




ENCIRCLE

	12W,S	20W,S
Dimensions	97 X 75 mm	112 X 90 mm
Cutout	90 mm	105 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°	15°, 24°, 36°
CRI	80+	80+




ENCIRCLE DOUBLE

	24W (12W X 2)	40W (20W X 2)
Dimensions	97 X 189 X 85 mm	112 X 226 X 100 mm
Cutout	90 X 180 mm	105 X 215 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K
Beam Angle	15°, 24°, 36°	15°, 24°, 36°
CRI	80+	80+



SMOOTH

	7W	12W
Dimensions	70 X 77mm	93 X 94.5mm
Cutout	65mm	85mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	38°	38°
CRI	80+	80+




SMOOTH WALL WASHER

	7W
	80 X 98mm
	75mm
	WH | BK
	3K 4K 6K CCT
	38°
	80+




DUSKY

	7W	12W	18W
	63 X 70mm	85X 76mm	110 X 95mm
	55mm	**75mm**	95mm
	WH | BK	WH | BK	WH | BK
	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
	36°	36°	36°
	80+	80+	80+




DUSKY-TRIMLESS

	12W	18W
	115 X 76mm	130 X 95mm
	73 mm	95 mm
	WH	WH
	3K 4K 6K CCT	3K 4K 6K CCT
	36°	36°
	80+	80+




DUSKY DOUBLE

	24W (12W X 2)	36W (18W X 2)
	168 X 88 X 76mm	216 X 115 X 95mm
	155 X 80 mm	200 X 95 mm
	WH | BK	WH | BK
	3K 4K 6K CCT	3K 4K 6K CCT
	36°	36°
	80+	80+




FUNNEL

	7W	12-15W
	70 X 65mm	85 X 75mm
	60mm	76mm
	WH | BK	WH | BK
	3K 4K 6K CCT	3K 4K 6K CCT
	36°	36°, 60°
	80+	80+




FUNNEL

	18-20W	30W
	95 X 100mm	115 X 105mm
	86mm	105mm
	WH | BK	WH | BK
	3K 4K 6K CCT	3K 4K 6K CCT
	36°, 60°	36°
	80+	80+




QUIRK

	7W	12-15W	18-20W
Dimensions	70 X 57mm	85 X 65mm	95 X 90mm
Cutout	65mm	75mm	86mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	36°	36° , 60°	36° , 60°
CRI	80+	80+	80+




PINNACLE

	5W	8W	10W
Dimensions	65 X 51mm	75 X 59mm	82 X 118mm
Cutout	55mm	65mm	75mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	24°, 36°	24°, 36°	24°, 36°
CRI	80+	80+	80+




HELIX

	7W	12W	18W
Dimensions	55 X 40mm	82 X 59 mm	74 X 93 mm
Cutout	35mm	55mm	70mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	24°, 36°, 60°	24°, 36°, 60°	24°, 36°, 60°
CRI	80+	80+	80+




BURRIED

	7W	12W
Dimensions	52 X 72mm	68 X 78mm
Cutout	48mm	58mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	36°	36°
CRI	80+	80+




BEAKER

	7W	12W	18W
Dimensions	63 X 44mm	74 X 52mm	77 X 63mm
Cutout	52mm	63mm	66mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°, 60°	15°, 24°, 36°, 60°	15°, 24°, 36°, 60°
CRI	80+	80+	80+




HALO

	7W	12-15W
Dimensions	80 X 54mm	108 X 70mm
Cutout	68mm	95mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	36°	38°, 60°
CRI	80+	80+




ROTOR

	5-9W
Dimensions	65 x 60mm
Cutout	54mm
Body Color	WH | BK
CCT	3K 4K 6K CCT
Beam Angle	15°,24°, 36°
CRI	90+



SWING

	7W	12-15W
Dimensions	78 X 65mm	88 X 75mm
Cutout	72mm	82mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	36°	36°, 60°
CRI	80+	80+




SWING

	18-20W	30W
Dimensions	100 X 97mm	120 X 101mm
Cutout	94mm	113mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	36°, 60°	36°
CRI	80+	80+

ARCHED


	12W	12W-02	12W-03
	53 X 66mm	70 X 66mm	53 X 66mm
	45mm	42mm	45mm
	WH | BK	WH | BK	WH | BK
	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
	24°,36°	24°,36°	24°
	80+	80+	80+

	12W-04	12W-05	12W-06
	70 X 66mm	80 X 66mm	63 X 66mm
	42mm	50mm	55mm
	WH | BK	WH | BK	WH | BK
	3K 4K 6K	3K 4K 6K CCT	3K 4K 6K CCT
	24°	24°,36°	24°,36°
	80+	80+	80+






Dimensions Cutout Body Color CRI CCT IP Rating Beam Angle




EFFICIO

	3W	6-12W	16-18W
Dimensions	61 X 53mm	76 X 68mm	96 X 84mm
Cutout	55mm	70mm	90mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	60°	60°	60°
CRI	80+	80+	80+




EFFICIO

	24-30W	40W
Dimensions	118 X 89mm	138 X 90mm
Cutout	110 mm	130mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K	3K 4K 6K
Beam Angle	60°	60°
CRI	80+	80+



HULK

	12W	25W
Dimensions	83 X 50mm	105 X 80mm
Cutout	75mm	100mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K
Beam Angle	38°	38°
CRI	90+	90+




HULK

	30W	40W
Dimensions	130 X 85mm	140 X 93mm
Cutout	125mm	130mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K	3K 4K 6K
Beam Angle	38°	38°
CRI	90+	90+




RADAR-MOVABLE

	20W	30W
Dimensions	124 X 78mm	130 X 93mm
Cutout	110mm	116mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	24°, 36°, 60°	24°, 36°, 60°
CRI	80+	80+



RADAR-MOVABLE

	40-50W
Dimensions	155 X 84mm
Cutout	145mm
Body Color	WH | BK
CCT	3K 4K 6K CCT
Beam Angle	24°, 36°, 60°
CRI	80+




RADAR-FIX

	15-20W	24-30W	30-40W
Dimensions	106 X 88mm	114 X 100mm	119 X 110mm
Cutout	96mm	107mm	114mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	24°, 36°, 60°	24°, 36°, 60°	24°, 36°, 60°
CRI	80+	80+	80+




SINK

	15W
Dimensions	78 X 70mm
Cutout	70mm
Body Color	WH
CCT	3K 4K
Beam Angle	24°
CRI	90+




SINK-SQUARE

	15W
Dimensions	89.5 X 89.5 X 70mm
Cutout	70mm
Body Color	WH
CCT	3K 4K
Beam Angle	24°
CRI	90+




SINK-DOUBLE

	30W (15W X 2)
Dimensions	174 X 89.5 X 4mm
Body Color	WH
CCT	3K 4K CCT
Beam Angle	24°
CRI	90+




SINK-TRIPPLE

	45W (15W X 3)
Dimensions	258.5 X 89.5 X 4mm
Body Color	WH
CCT	3K 4K CCT
Beam Angle	24°
CRI	90+




CORNET

	12W
Dimensions	84 X 68mm
Cutout	63mm
Body Color	WH | BK
CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°, 60°
CRI	80+




CORNET DOUBLE

	24W (12W X 2)
Dimensions	162 X 83 X 83
Cutout	155 X77mm
Body Color	WH | BK
CCT	3K 4K 6K CCT
Beam Angle	15°, 24°, 36°, 60°
CRI	80+




DWARF

	7W	12W
Dimensions	62 X 25mm	72 X 28.3mm
Cutout	55 mm	65 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	36°	36°
CRI	80+	80+




LEAN

	12W
Dimensions	82 X 48mm
Cutout	75mm
Body Color	WH | BK
CCT	3K 4K 6K CCT
Beam Angle	36°
CRI	80+



FIFTY-FIFTY

	7W	12W
	65 X 45 mm	85 X 65 mm
	50 mm	75 mm
	WH | BK	WH | BK
	3K 4K 6K CCT	3K 4K 6K CCT
	15°, 24°, 36°	15°, 24°, 36°
	80+	80+
	IP 54	IP 54



BLACK HOLE

	10W
	100 X 69mm
	60mm
	BK
	3K
	15°
	90+

SURFACE CYLENDER WALL WASHERS TRACKS




DUPPLE-SURFACE




	7W	12W	18W
Dimensions	54 X 74mm	75 X 83mm	96 X 95mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K	3K 4K 6K	3K 4K 6K
Beam Angle	15°, 24°, 36°, 55°	15°, 24°, 36°, 55°	15°, 24°, 36°, 55°
CRI	80+	80+	80+

PISTON




	12W	20W
Dimensions	75 x 88mm	95 x 93.5mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K	3K 4K 6K
Beam Angle	36°	36°
CRI	80+	80+
IP Rating	IP 65	IP 65

BARREL



	7W	12W
Dimensions	54 X 78mm	74 X 100mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K	3K 4K 6K
Beam Angle	36°	36°
CRI	80+	80+




BARREL

	20 W	30W
Dimensions	94 X 125mm	94 X 160mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K	3K 4K 6K
Beam Angle	36°	36°
CRI	80+	80+




OBLIQUE-SURFACE

	12W	18W	24W
Dimensions	45 X 100 mm	54 X 113mm	62 X 130mm
Body Color	WH | BK | G	WH | BK | G	WH | BK | G
CCT	3K 4K 6K	3K 4K 6K	3K 4K 6K
Beam Angle	36°	36°	36°
CRI	80+	80+	80+
IP Rating	IP 54	IP 54	IP 54



ORB

	7W	14W
Dimensions	60 X 75mm	160 X 65 X 80mm
Cutout	55 mm	148 X 60 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	24°, 36°	24°, 36°
CRI	80+	80+



SPY

	6W	6W-SURFACE
Dimensions	50 X 38mm	38 X 140mm
Cutout	40 mm	73 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K
Beam Angle	15°, 36°	15°, 36°
CRI	80+	80+



SNOOP

	5W
Dimensions	63 X 70 X 40mm
Cutout	60mm
Body Color	WH | BK
CCT	3K 4K 6K
Beam Angle	25°
CRI	80+



SNOOP

	7W	12W
Dimensions	61.6 X 86mm	84 X 104mm
Cutout	55mm	75 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	24°	38°
CRI	80+	80+




SNOOP- DOUBLE

	14W	24W
Dimensions	129.5 X 68.5mm	180 X 90.5mm
Cutout	120 X 60mm	164 X 77mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	24°	38°
CRI	80+	80+




SNOOP

	12W-TRIMLESS
Dimensions	112 X 181 X 117mm
Cutout	120 mm
Body Color	WH | BK
CCT	3K 4K 6K CCT
Beam Angle	38°
CRI	80+




PLUCK

	1 X 2W	3 X 2W
Dimensions	43 x 40 x 43mm	100 x 40 x 43mm
Cutout	40 x 35mm	96 x 35mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	30°	30°
CRI	80+	80+




TUREEN

	9W
Dimensions	78 X 90mm
Cutout	70mm
Body Color	WH | BK
CCT	3K 4K 6K CCT
Beam Angle	45°
CRI	80+




TUREEN

	9W-SQUARE	18W (9W X 2)
Dimensions	80 X 90mm	140 X 80 X 90mm
Cutout	70mm	70 X 140 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	45°	38°
CRI	80+	80+



FLUTE

	7W-01	7W-02
Dimensions	53 X 177.6mm	62 X 251.5mm
Cutout	45mm	55mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	24°	24°
CRI	80+	80+




MIKE

	7W
Dimensions	160 X 27 X 400mm
Body Color	BLACK
CCT	3K
Beam Angle	24°
CRI	90+



STOUT

	3W	7W	12W
Dimensions	50 X 51mm	58 X 65mm	78 X 86mm
Cutout	45mm	55mm	70mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	24°	36°	38°
CRI	80+	80+	80+



HINGE

	10W
Dimensions	53 X 117.6mm
Cutout	45mm
Body Color	WHITE
CCT	3K 4K 6K CCT
Beam Angle	36°
CRI	80+




SHUTTER-01

	10W	20W	30W
	60 X 75 X 190mm	200 X 125 X 70mm	210 X 130 X 80mm
	WH | BK	WH | BK	WH | BK
	3K 4K 6K	3K 4K	3K 4K 6K
	38°	38°	38°
	80+	80+	80+



SHUTTER-02

	20W	30W
	145 X 136 X 61mm	235 X 157 X 71mm
	WH | BK	WH | BK
	3K 4K	3K 4K 6K
	38°	38°
	80+	80+



TRIVIAL

	12W	12W-SURFACE
	87 X 61mm	75 X 72mm
	75mm	-----
	WH | BK	WH | BK
	3K 4K 6K CCT	3K 4K 6K
	36°	36°
	80	80




RECLINER

	10W	20W
Dimensions	125 X 95mm	132 X 110mm
Cutout	100mm	125mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K
Beam Angle	24°, 36°, 60°	24°, 36°, 60°
CRI	80+	80+



RECLINER

	30W	40W
Dimensions	145 X 113mm	156 X 123mm
Cutout	136mm	144mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K	3K 4K 6K
Beam Angle	24°, 36°, 60°	24°, 36°, 60°
CRI	80+	80+




DRAPE

	10W	15W	25W
Dimensions	63 X 78mm	82 X 82mm	106 X 118mm
Cutout	55mm	75mm	95mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	00	00	00
CRI	80+	80+	80+



OBLIQUE-TRACK

	12W	18W	24W
Dimensions	45 X 151mm	54 X 164mm	62 X 181mm
Body Color	WH | BK | G	WH | BK | G	WH | BK | G
CCT	3K 4K 6K	3K 4K 6K	3K 4K 6K
Beam Angle	36°	36°	36°
CRI	80+	80+	80+



ORB

	ORB-7W-TRACK	ORB-7W-SURFACE
Dimensions	70 X 130mm	70 x 90mm
Cutout	-----	-----
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K	3K 4K 6K
Beam Angle	24° , 36°	24° , 36°
CRI	80+	80+
IP Rating	-----	IP 65




RADAR TRACK 01

	20W	30W	40W
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K	3K 4K 6K	3K 4K 6K
Beam Angle	24°, 36°, 60°	24°, 36°, 60°	24°, 36°, 60°
CRI	80+	80+	80+



RADAR TRACK 02

	20W	30W	40W
	WH | BK	WH | BK	WH | BK
	3K 4K 6K	3K 4K 6K	3K 4K 6K
	24°, 36°, 60°	24°, 36°, 60°	24°, 36°, 60°
	80+	80+	80+



VORTEX

	7W	12W	24W
	60 X 100mm	60 X 100mm	78 X 150mm
	00mm	00mm	00mm
	WH | BK	WH | BK	WH | BK
	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
	8°-40° ZOOMABLE	8°-40° ZOOMABLE	8°-40° ZOOMABLE
	80+	80+	80+




VELOX

	7W	12W	24W
	35 X 88mm	55 X 135mm	65 X 140mm
	00mm	00mm	00mm
	WH | BK	WH | BK	WH | BK
	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
	36°	36°	36°
	80+	80+	80+


DIFFUSED LIGHTS





DISC

	12W	18W	24W
Dimensions	120 X 50mm	155 X 55mm	175 X 55mm
Cutout	110mm	145mm	165mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	120°	120°	120°
CRI	80+	80+	80+




DISC SQUARE

	12W	18W
Dimensions	110 X 110 X 50mm	145 X 145 X 55mm
Cutout	100 X 100 mm	135 X 135 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	110°	110°
CRI	80+	80+



BOWL


	12W	18W	24W
Dimensions	90 X 56mm	100 X 56mm	124 X 55mm
Cutout	85mm	95 mm	118 mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	120°	120°	120°
CRI	80+	80+	80+




DRUM

	8W	15W	22W
	90 X 75mm	110 X 75mm	120 X 75mm
	WH | BK	WH | BK	WH | BK
	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K
	120°	120°	120°
	80+	80+	80+


LASER BLADES






SHAFT

	6W	12W
Dimensions	60 X 36mm	80 X 51mm
Cutout	55mm	70 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K	3K 4K
Beam Angle	36°	36°
CRI	80+	80+




GRID

	5W	12W
Dimensions	54 X 54 X 50 mm	130 X 54 X 52mm
Cutout	49 X 49mm	125 X 49 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K
Beam Angle	24°, 38°	24°, 38°
CRI	80+	80+




GRID

	16W	20W
Dimensions	92 X 92 X 52 mm	206 X 54 X 52mm
Cutout	87 X 87mm	201 X 49 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	24°, 38°	24°, 38°
CRI	80+	80+




GRID

	36W	50W
Dimensions	130 X 130 X 52 mm	396 X 54 X 52mm
Cutout	125 X 125mm	390 X 49 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K	3K 4K 6K
Beam Angle	24°, 38°	24°, 38°
CRI	80+	80+




GRID-SURFACE

	20W	45W
Dimensions	81.7 X 81.7 X 80mm	119.6 X 119.6 X 90mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K	3K 4K 6K
Beam Angle	24°, 38°	24°, 38°
CRI	80+	80+



SLENDER

	5W	12W
Dimensions	62 X 32 X 40 mm	108 X 32 X 40mm
Cutout	57 X 27.5mm	104 X 27.5 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	38°	38°
CRI	90+	90+




SLENDER

	20W
Dimensions	204 X 32 X 40mm
Cutout	200 X 27.5mm
Body Color	WH | BK
CCT	3K 4K 6K CCT
Beam Angle	38°
CRI	90+




SLENDER-M

	M-12W	M-20W
Dimensions	141 X 49 X 44mm	250 X 49mm
Cutout	136 X 43mm	250 X 43mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	36°	36°
CRI	80+	80+



MATRIX

	2W	4W
Dimensions	44 X 44mm	75 X 44mm
Cutout	33 X 33 mm	70 X 33 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K	3K 4K 6K
Beam Angle	36°	36°
CRI	80+	80+




MATRIX

	12W	20W
Dimensions	147 X 44mm	280 X 53mm
Cutout	137 X 33 mm	270 X 33 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	36°	36°
CRI	80+	80+




IOTA

	3 X 2W	6 X 2W	12 X 2W
Dimensions	73 X 32 X 47mm	133 X 32 X 47mm	253 X 32 X 47mm
Cutout	68 X 25mm	128 X 25mm	248 X 25mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	30°	30°	30°
CRI	80+	80+	80+




IOTA-T

	3 X 2W	6 X 2W	12 X 2W
Dimensions	70 X 66 X 42mm	130 X 66 X 55mm	250 X 66 X 55mm
Cutout	70 X 32mm	130 X 30mm	250 X 30mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	30°	30°	30°
CRI	80+	80+	80+




OVATE

	6W	10W	20W
Dimensions	102 X 41 X 54mm	162 X 41 X 54mm	310 X 41 X 54mm
Cutout	35 X 60mm	35 X 120mm	35 X 270mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	24°, 36°, 45°	24°, 36°, 45°	24°, 36°, 45°
CRI	80+	80+	80+




SLICE

	7W	15W	25W
Dimensions	61 x 32 x 72mm	118 x 32 x 72mm	232 x 32 x 72mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	36°	36°	36°
CRI	80+	80+	80+



LEGO

	7W	12W	20W
Dimensions	56 X 56 X42mm	99 X 56 X 42mm	142 X 56 X 42mm
Cutout	50 X 50mm	93 X 50mm	136 X 50mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	36°	36°	36°
CRI	80+	80+	80+




LEGO-SF

	7W	12W	20W
Dimensions	56 X 56 X42mm	99 X 56 X 42mm	142 X 56 X 42mm
Body Color	WH | BK	WH | BK	WH | BK
CCT	3K 4K 6K CCT	3K 4K 6K CCT	3K 4K 6K CCT
Beam Angle	36°	36°	36°
CRI	80+	80+	80+




ZODIAC

	8W	15W
Dimensions	80 X 35 mm	128 X 35mm
Cutout	75mm	120 mm
Body Color	WH | BK	WH | BK
CCT	3K 4K CCT	3K 4K CCT
Beam Angle	38°	38°
CRI	80+	80+



ZODIAC


	20W	30W
Dimensions	173 X 35 mm	217 X 35mm
Cutout	165mm	215mm
Body Color	WH | BK	WH | BK
CCT	3K 4K CCT	3K 4K CCT
Beam Angle	38°	38°
CRI	80+	80+



RING

	44W-01
	380 X 380 X 40mm
	383 X 383mm
	WH | BK
	3K
	36°
	90+

MODULAR SERIES




INLAY

	7W-01, 02, 03, 04	D
	44.3 X 44.3 X 62.5mm	44.3 X 44.3 X 55mm
	----	□
	WH | BK	WH | BK
	3K 4K 6K CCT	----
	36° -38°	----
CRI	80+	----


CASKET

	01, 01-T	02, 02-T	03, 03-T
	64 X 64 X 55.5mm 88 X 88 X 55.5mm	108.5 X 64 X 55.5mm 132.5 X 88 X 55.5mm	153 X 64 X 55.5mm 177 X 88 X 55.5mm
	55 X 55mm 63 X 63mm	100 X 55mm 110 X 63mm	144 X 55mm 153 X 63mm
	04	**04-T**	
	197.5 X 64 X 55.5mm	221.5 X 88 X 55.5mm	
	189 X 55mm	198 X 63mm	



CASKET-T- 01, INLAY 01

FRONT OPENABLE




CASKET- 02, INLAY 01 + 03

FRONT OPENABLE



CASKET- 03, INLAY 01 + 03 + 02

FRONT OPENABLE



CASKET- 04, INLAY 01 + D + 04 + 02

FRONT OPENABLE


RETROFITS






TWEAK-MR16

	12W	15W
	50 X 70mm	80 X 90mm
	47mm	70mm
	WHITE	GREY
	3K 4K 6K CCT	3K 4K 6K CCT
	36°	36°
CRI	80+	80+
	IP 44	IP 44




FRINGE

	P	SQUARE DEEP
	85 X 32 mm	90 X 41mm
	○ 75mm □ 75 X 75mm	□ 80 X 80 mm
	WW | BG | BB	WH | BK




FRINGE

	ROUND/SQUAER MOVABLE	SQUARE TRIMLESS
	92 X 38 mm	92 X 92mm
	○ 85mm □ 85 X 85mm	□ 85 X 76 mm
	WH | BK	WH | BK




FRINGE

	SQUARE DEEP	SQUARE WALL WASHER
Dimensions	82 X 82 mm	82 X 82mm
Cutout	☐ 78 X 78mm	○ 75mm ☐ 78 X 78 mm
Body Color	WW | BG | BB	WW | BG | BB



FRINGE


	DOUBLE	DOUBLE DEEP
Dimensions	185 X 92 mm	184 X 100mm
Cutout	☐175 X 85mm	☐ 175 X 85 mm
Body Color	WH | BK	WH




FOOT

	3W
Dimensions	42 X 26mm
Cutout	35mm
Body Color	WH | BK
CCT	3K
CRI	80+


STRIPS
SMPS
REMOTE





SPIN / STRIP

MODEL	COLOUR TEMPERATURE	CRI	IP RATING
120-5MM 12V | 24V	3K, 4K, 6K	80+	IP20, IP65
168-5MM 12V | 24V	3K, 4K, 6K	80+	IP20, IP65
240-3-1 12V	3K, 4K, 6K	80+	IP20, IP65
120-12V |24V	3K, 4K, 6K	80+	IP20, IP65
168- 12V |24V	3K, 4K, 6K	80+	IP20, IP65, IP68
240-12V |24V	3K, 4K, 6K	80+	IP20, IP65
60-12V	3K, 4K, 6K	80+	IP20, IP65
60-RGB-12V	RGB	80+	IP20, IP65
60-RGB-WW-12V	RGB	80+	IP20, IP65





SMPS

12V	24V
60W-5A	60W-2.5A
100W-8.3A	100W-4.1A
120W-10A	120W-5A
240W-20A	180W-7.5A
350W-30A	300W-12.5A
	400W-16.6A



IP65-RATED-SMPS

	12V-IP65	24V-IP65
	100W-5A	100W-2.5A
	200W-8.3A	200W-4A
	300W-16.6A	300W-8.3A
	400W-20A	400W-12.5A
	25A	16A




RF REMOTE




OUTDOOR LIGHTS

PREMIUM SERIES




FOCAL

	3W-6W
	80 X 70 mm
	DARK GREY | WH
	3K
	80+
	IP 65




BRICK

	3.5W - 01,02
	171 X 75 X 57 mm
	DARK GREY
	3K
	80+
	IP 65



BRICK

	6W - 01, 02, 03
	240 X 75 X 57 mm
	DARK GREY
	3K
	80+
	IP 65



CREASE

	4W	6W	8W
Dimensions	35 X 60 X 100 mm	35 X 80 X 100 mm	35 X 105 X 100 mm
Body Color	SANDY DARK GREY	SANDY DARK GREY	SANDY DARK GREY
CCT	3K	3K	3K
CRI	80+	80+	80+
IP Rating	IP 65	IP 65	IP 65



SLAB

	9W	18W
Dimensions	150 X 73 X 65 mm	300 X 73 X 65 mm
Body Color	DARK GREY	DARK GREY
CCT	3K	3K
CRI	80+	80+
IP Rating	IP 65	IP 65



BROLLY

	13W-WALL
Dimensions	120 X 176 X 240 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65



CANOPY

	9W-WALL	9W-BOLLARD
Dimensions	110 X 220 X 275 mm	110 X 500 mm
Body Color	DARK GREY	DARK GREY
CCT	3K	3K
CRI	80+	80+
IP Rating	IP 65	IP 65



CANOPY-01

	7W-WALL	7W-BOLLARD
Dimensions	120 X 225 X 205 mm	120 X 500 mm
Body Color	DARK GREY	DARK GREY
CCT	3K	3K
CRI	80+	80+
IP Rating	IP 65	IP 65



CANOPY-02

	7W-WALL	7W-BOLLARD
Dimensions	120 X 225 X 205 mm	120 X 500 mm
Body Color	DARK GREY	DARK GREY
CCT	3K	3K
CRI	80+	80+
IP Rating	IP 65	IP 65



RELIC

	7W-WALL	7W-BOLLARD
Dimensions	162 X 194 X 232 mm	162 X 600 mm
Body Color	DARK GREY	DARK GREY
CCT	3K	3K
CRI	80+	80+
IP Rating	IP 65	IP 65




TIMBER-WALL

	9W
Dimensions	150 X 125 X 260 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65




CHALICE-WALL

	MAX 60W
Dimensions	120 X 220 mm
Body Color	DARK GREY
Cutout	E-27
IP Rating	IP 65




FLOOD

	12W
Dimensions	153 X 142 X 38 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65



FLOOD-02

	30W
Dimensions	250 X 160 X 85 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 54




DISCUS

	12W
Dimensions	162 X 192 X 80 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 54



LINE-W

	10W	12W
	45 X 95 X 600 mm	45 X 95 X 800 mm
	DARK GREY	DARK GREY
	3K	3K
CRI	80+	80+
	IP 54	IP 54




FLASK

	16W	25W
	95 X 65 X 500 mm	95 X 65 X 1000 mm
	DARK GREY	DARK GREY
	3K	3K
CRI	80+	80+
	IP 65	IP 65



HUNCH

	SMALL	LARGE
	321 X 201 X 201 mm	527 X 330 X 330 mm
	DARK GREY	DARK GREY
	E-27	E-27
	IP 65	IP 65




TIMBER-BOLLARD-SMALL

	7W
Dimensions	160 X 200 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65




TIMBER-BOLLARD-BIG

	7W
Dimensions	160 X 600 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65



FOCAL-BOLLARD

	3W
Dimensions	16 X 400 X 80 mm
Body Color	SANDY DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65



RELIC-GROUND

	7W
Dimensions	162 X 162 X 280 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65




SURROUND-01

	15W
Dimensions	172 X 190 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65



SURROUND-02

	15W
Dimensions	172 X 190 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65




TRAID

	12W
Dimensions	160 X 550 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65




PAVILLION

	12W	12W
Dimensions	140 X 520 mm	140 X 820 mm
Body Color	DARK GREY	DARK GREY
CCT	3K	3K
CRI	80+	80+
IP Rating	IP 65	IP 65




TOTEM

	18W
Dimensions	50 X 900 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65




LINE-B

	12W	15W	19W	25W
	25 X 800 mm	25 X 1000 mm	25 X 1200 mm	25 X 1600 mm
	DARK GREY	DARK GREY	DARK GREY	DARK GREY
	3K	3K	3K	3K
	80+	80+	80+	80+
	IP 65	IP 65	IP 65	IP 65




STREAK

	12W - CONCEALED	12W- SURFACE
	250 X 98 X 93 mm	250 X 98 X 46 mm
	DARK GREY	DARK GREY
	3K	3K
	80+	80+
	IP 65	IP 65




ENCLOSED

	6W	12W
	120 X 55 X 70 mm	250 X 98 X 90 mm
	DARK GREY	DARK GREY
	3K	3K
	80+	80+
	IP 65	IP 65




TRAIL

	6W
Dimensions	176 X 62 X 63 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65




SUNK

	1W	3W
Dimensions	20 X 38mm	65 X 48mm
Cutout	15.5mm	34mm
Body Color	ALUMINIUM	ALUMINIUM
CCT	3K DC 12V	3K DC 12V
Beam Angle	60°	24°
CRI	80+	80+
IP Rating	IP 65	IP 65




ARRAY

	12W-24W	
	01	02
Dimensions	0.5 mtr(12w-24V) 1 mtr(24w-24V)	1 mtr(12w-24V)
Body Color	ALLUMINIUM	
CCT	3K	
CRI	80+	
IP Rating	IP 65	



ARRAY-BURRIED

	36W
	1 mtr (36W-24V)
	ALLUMINIUM
	3K
	80+
	IP 67




SAUCER

	3W
	80 X 42 mm
	DARK GREY
	3K
	80+
	IP 65




EYELET-CIRCLE

	3W	6W
	110 X 22 mm	160 X 30 mm
	DARK GREY	DARK GREY
	3K	3K
	80+	80+
	IP 65	IP 65




EYELET

	3W-SQUARE	6W-RECTANGLE
Dimensions	105 X 105 X 22 mm	180 X 108 X 25 mm
Body Color	DARK GREY	DARK GREY
CCT	3K	3K
CRI	80+	80+
IP Rating	IP 65	IP 65




TAPER

	3.5W
Dimensions	120 X 120 X 53 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65



PATCH

	5W-S-02	5W-02
Dimensions	92 X 92 X 72 mm	92 X 72 mm
Body Color	ALUMINIUM	ALUMINIUM
CCT	3K	3K
CRI	80+	80+
IP Rating	IP 65	IP 65



PYRAMID

	3W
Dimensions	60 X 21 X 41mm
Body Color	WH | BK
CCT	3K
Beam Angle	20°
CRI	80+
IP Rating	IP 65



SPINNER

	3W
Dimensions	41 X 52mm
Cutout	35mm
Body Color	BLACK
CCT	3K
CRI	80+
IP Rating	IP 65




ORB-SPIKE

	7W
Dimensions	70 X 260 mm
Body Color	BK
CCT	3K 4K 6K
CRI	80+
IP Rating	IP 65



TRINITY

	3W	7W	12W
	65 X 45 mm	100 X 46 mm	100 X 46 mm
	GRAPHITE GREY	GRAPHITE GREY	GRAPHITE GREY
	3K 4K 6K	3K 4K 6K	3K 4K 6K
	24°	24°	24°
	80+	80+	80+
	IP 65	IP 65	IP 65




STRIPE

	3W
	60 X 76 mm
	SANDY DARK GREY
	3K
	80+
	IP 65


OUTDOOR LIGHTS

ECONOMIC SERIES




STRIDE-CONCEALED

	3W	6W
	120 X 60 mm	140 X 60 mm
	DARK GREY	DARK GREY
	3K	3K
CRI	80+	80+
	IP 65	IP 65



STRIDE-SF

	6W
	85 X 85 X 53 mm
	DARK GREY
	3K
CRI	80+
	IP 65



CAVITY

	6W-SQUARE	6W-CIRCLE
	148 X 148 X 35 mm	145 X 35 mm
	DARK GREY	DARK GREY
	3K	3K
CRI	80+	80+
	IP 65	IP 65



CAVITY

	8W- RECTANGLE
Dimensions	200 X 90 X 35 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65



VENT

	3W
Dimensions	85 X 85 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65




PATCH-01

	3W
Dimensions	35 X 38 mm
Cutout	30 mm
Body Color	ALUMINIUM
CCT	3K
CRI	80+
IP Rating	IP 65




TOF

	1W-01	1W-02
Dimensions	32 X 34mm	35 X 34mm
Cutout	27mm	45mm
CCT	3K	3K
Beam Angle	60°	60°
CRI	80+	80+
IP Rating	IP 65	IP 65




TOSS

	3W
Dimensions	58 X 14mm
Body Color	WH | BK
CCT	3K
Beam Angle	90°
CRI	80+
IP Rating	IP 65




TROTTER

	3W
Dimensions	70 X 50 X 12mm
Body Color	WH | BK
CCT	3K
Beam Angle	90°
CRI	80+
IP Rating	IP 65




CAN-01

	7W	12W	20W
	80 X 65 mm	130 X 65 mm	150 X 90 mm
	DARK GREY	DARK GREY	DARK GREY
	3K	3K	3K
	80+	80+	80+
	IP 65	IP 65	IP 65




CAN-02

	7W	12W	18-20W
	57 X 90 mm	75 X 120 mm	97 X 127 mm
	DARK GREY | WH	DARK GREY | WH	DARK GREY | WH
	3K	3K	3K
	18°, 24°, 36°	18°, 24°, 36°	18°, 24°, 36°
	80+	80+	80+
	IP 54	IP 54	IP 54




CLIFF

	6W (6W x 1)	12W (6W x 2)
	68 x 75 mm	68 x 75 mm
	DARK GREY	DARK GREY
	3K	3K
	80+	80+
	IP 65	IP 65




DICE

	6W (1.5W x 4)
Dimensions	85 x 85 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65




TOOTH

	6W
Dimensions	170 x 94 mm
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65



SUBWAY

	6W (6W x 1)	12W (6W x 2)
Dimensions	66 X 54 mm	100 X 54 mm
Body Color	DARK GREY	DARK GREY
CCT	3K	3K
CRI	80+	80+
IP Rating	IP 65	IP 65




SLATE

	6W	12W
Dimensions	90 X 115 mm	90 X 175 mm
Body Color	DARK GREY	DARK GREY
CCT	3K	3K
CRI	80+	80+
IP Rating	IP 65	IP 65




SCOPE-ONE WAY

	6W (6W x 1)	10W (10W x 1)
Dimensions	80 X 88 mm	88 X 90 mm
Body Color	DARK GREY	DARK GREY
CCT	3K	3K
CRI	80+	80+
IP Rating	IP 65	IP 65




SCOPE-ONE WAY

	12W (12W x 1)	20W (20W x 1)
Dimensions	160 X 165 mm	160 X 165 mm
Body Color	DARK GREY	DARK GREY
CCT	3K	3K
CRI	80+	80+
IP Rating	IP 65	IP 65




SCOPE-UP AND DOWN

	12W (6W x 2)	20W (10W x 2)
	130 X 88 mm	108 X 90 mm
	DARK GREY	DARK GREY
	3K	3K
	80+	80+
	IP 65	IP 65



SCOPE-UP AND DOWN

	24W (12W x 2)	40W (20W x 2)
	260 X 90 X 147 mm	260 X 165 mm
	DARK GREY	DARK GREY
	3K	3K
	80+	80+
	IP 65	IP 65



CUBOID-SURFACE

	6W
	42 X 32 X 120mm
	BK
	3K
	80+
	IP 65



TURBINE

	12W
Dimensions	------
Body Color	DARK GREY
CCT	3K
CRI	80+
IP Rating	IP 65



HIVE

	7W	15W	24W
Dimensions	63 X 270 mm	67 X 300 mm	71 X 310 mm
Body Color	BK	BK	BK
CCT	3K	3K	3K
Beam Angle	24°	24°	24°
CRI	80+	80+	80+
IP Rating	IP 65	IP 65	IP 65



WATCHER

	2W	6W	12W	24W
Dimensions	36 X 80 mm	36 X 110 mm	48 X 140 mm	64 X 140 mm
Body Color	DARK GREY	DARK GREY	DARK GREY	DARK GREY
CCT	3K	3K	3K	3K
Beam Angle	15°	15°	15°	15°
CRI	80+	80+	80+	80+
IP Rating	IP 65	IP 65	IP 65	IP 65



DYNAMIC LIGHT

2504, Challenger Tower No.4, Thakur Village, Kandivali (East), Mumbai- 400101

dynamiclight09@gmail.com

+91 9833370866; +91 9820645790